

	Hits	Search Text	DBs
1	1196	(hardware and (id or identification)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	64	(hardware and (id or identification) and install\$5).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	8	S1 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S3 and (disk with adapter with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S1 and (disk with adapter with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	3	S3 and (disk with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	47	S1 and (disk with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	12	S1 and (disk with drive with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	"5953422".PN.	USPAT; USOCR
10	0	S3 and (disk with adapter with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2137	(hardware and (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	524	(hardware with (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	5	S12 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	7	S12 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	S12 and ((CD adj2 ROM) with (id or identify))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	3	S12 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	6	S12 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	9	S11 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	18	S11 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	S11 and (disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	195	(disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	110	(disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	S23 and (disk with adapter with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	48	S22 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	105	(disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	44	S26 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	612	((CD adj2 ROM) with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	1	S23 and ((display adj adapter) same (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	1	S27 and (MAC with address with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	13	(display adj adapter) with (id or identif\$6) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	618	(MAC with address with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	1	S26 and (MAC with address with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	207	"618" and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	6	S33 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	3	S34 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	0	S36 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	9	S31 and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	6	S36 and (processor with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	S36 and (processor with type with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	S40 and (RAM with size with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	1936	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	1936	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	S42 and (RAM with size with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	45	S42 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	2306 6	"64" adj bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	524	(hardware with (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	12	S46 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	5	S46 and ((CD adj2 ROM) with (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	S48 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	12	S46 and ("64" ADJ bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	(software and instal\$7 and generat\$5 and (id or identification) and hardware).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	3	((software near3 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	3	((software NEAR3 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	3	((software NEAR4 instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	3	((software with instal\$7) same (generat\$5 with (id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	35	((software NEAR3 instal\$7) same ((id or identification) with hardware)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
57	2	"5646992".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	13	S66 and (processor with serial with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	1	S76 and (hardware near3 (id or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	16	((generat\$6 or mak\$6 or creat\$6 or produc\$6) adj5 (computer near3 (id or identification)) and software).ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	206	(computer near3 (id or identification) near5 (generat\$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	105	(disk with adapter with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	3	S59 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	114	(computer near3 (id or identification) near5 (generat\$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
65	30	(computer near3 (id or identification) near5 (generat\$6 or mak\$6 or creat\$6 or produc\$6) and software).ab. and (@pd<"19980429" or @ad<"20010517" or @rlad<"20010517" or @prad<"20010517" or @rlpd<"20010517")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	670	(MAC with address with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	9	S58 and ((CD adj2 ROM) with (id or identif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2174	(hardware and (id or identif\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	S64 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	6	S67 and (processor with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	0	S71 and (computer near4 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	0	S68 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	47	S70 and (RAM with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	2036	(processor with type with (id or identif\$6)) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
75	1402	(computer near3 (id or identification)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	8	S73 and ((id or identification) same generat\$6 same software same install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	0	S73 and ((id or identification) near5 generat\$6 near5 software near5 install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	1	S73 and ((id or identification) near10 generat\$6 near10 software near10 install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	42	S73 and ((id or identification) same generat\$6 same software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	2	"6243468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	505	(computer near3 (id or identification) and (generat\$6 or mak\$6 or creat\$6 or produc\$6)).ab. and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @prad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	44	S61 and (disk with drive with (id or identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	13	(display adj adapter) with (id or identif\$6) and (@pd<"19980429" or @ad<"19980429" or @rlad<"19980429" or @rlpd<"19980429")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	0	S62 and (computer near3 (id or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB